



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.:	09/991,017	Confirmation No. 2968
Inventor:	Paul M. Petersen	
Filed:	November 16, 2001	
Art Unit:	2127	
Examiner:	Truong, Camquy	
Attorney Docket No.:	42390.P12628 (as amended)	
Customer No.:	25694	
For:	Executing Irregular Parallel Control Structures	

Amendment & Response Under 37 C.F.R. § 1.111

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action dated **January 26, 2005**, Applicant submits the following Amendment and Remarks. *Amendments to the Specification* begin on page 2 of this Response. *Amendments to the Claims* are reflected in the listing of claims which begins on page 4 of this Response. *Amendments to the Drawings* begin on page 11. *Remarks* begin on page 12 of this Response.

It is not believed that extensions of time are required beyond those that may otherwise be provided for in documents accompanying this paper. However, if additional extensions of time are necessary to prevent abandonment of this application, then such extensions of time are hereby petitioned under 37 C.F.R. § 1.136(a), and any fees required therefore are hereby authorized to be charged to Deposit Account No. 02-2666.